

Certificate of Registration



This is to certify that the Quality Management Systems of:

Tavakol Poya Arak Industrial Group Co.

The corner of 1 Toseae, Toseae Street, No. 1 Industrial Zone, Arak-Iran

have been assessed and registered against the following international standard:

ISO/TS 29001:2010

Approval is hereby granted for registration on the proviso that the certification rules and conditions are observed at all times.

The scope of the registration:

Design and Manufacturing of Oil and Gas Valves Gearbox and Machining Services

Certificate No. 1210010

Issue Date: October 02, 2012

Expiry Date:

October 01, 2015

Authorised Signature

Moody International Certification Ltd.

The certificate remains the property of Moody International Certification Limited to whom it must be return

Certificate of Registration



This is to certify that the Quality Management System of:

Tavakol Poya Arak Industrial Group Co.

The corner of 1 Toseae, Toseae Street, No. 1 Industrial Zone, Arak-Iran

has been assessed and found compliant with the requirements of:

ISO 9001:2008

Approval is hereby granted for registration on the proviso that the certification rules & conditions are observed at all times.

Certification Scope:

Design and Manufacturing of Oil and Gas Valves Gearbox and Machining

Certificate No.

Issue Date:

Expiry Date:

Moody International Certification Ltd.

The use of the Accreditation Mark indicates accreditation in respect of those activities covered by the Accreditation Certificate 014. The certificate remains the property of Moody International Certification Limited to whom it must be returned on request.










DAMPER CYLINDER



TAPCO TAVAKOL POOYA ARAK co.

Features of TAPCO damper cylinder

- Tapco damper cylinder are designed based on the customer requisition of force and stroke.
- Hydraulic fluid is chosen based on the ambient temperature of operation.
- Damping can be provided in either stretching or retraction phase.
- Damping can be provided in either one phase or two phases in acting course in order to achieve desired time of damping.
- Adjustable damping speed.
- All welding joints are TIG welded.
- All piston rods are hard-chrome-plated.
- Rod-eye can be manufactured according to customer requisition.












DAMPER CYLINDER



>>TD15 series



MODEL	FORCE	Α		traveling	Accumalator	num of							
	CAPACITY	Stretched	retracted		type	damping phases	В	С	D	E	F	G	Н
TD15_GR_1P_210	15TON	801/0	591/0	210	Gravitational	1	95	+0.2	-0/1	R47.5	180	124	284
								50	40				
								+0.1	-0/2				
TD15_GR_1P_265	15TON	916/0	651/0	265	Gravitational	1	95	+0.2	-0/1	R47.5	180	124	284
								50	40				
								+0.1	-0/2				
TD15_SP_2P_210	15TON	801/0	591/0	210	Spring over piston	2	95	+0.2	-0/1				
								50	40	R47.5	180	124	284
								+0.1	-0/2				


^{*}Tapco damper cylinder are designed based on the customer requisition of force and stroke.



DAMPER CYLINDER



>>TD22&30 series



MODEL	FORCE CAPACITY	Α		traveling	Accumalator	num of				
		Stretched	retracted	distance	type	damping phases	В	С	D	Е
TD22_SP_2P_406	22TON	1515/0	1109/0	406	Spring over piston	2	115	+0.2	-0/1	R57.5
								50	60	
								+0.1	-0/2	
TD30_SP_2P_	30TON	Base on the customer's request	Base on the customer's request	Base on the customer's request	Spring over piston	2	145	+0.2	-0/1	R72.5
								60	70	
								+0.1	-0/2	

^{*}Tapco damper cylinder are designed based on the customer requisition of force and stroke.



GALLERY




























www.tavakolpooya.ir



